CARBOHYDRATE RESEARCH, VOL. 167 (1987)

AUTHOR INDEX

ABBAS, S. A., 131
ANAZAWA, K., 77
ANDERSON, A. N., 279
AZUMA, I., 317

BERNOTAS, R. C., 305, 312
BERTUCCI, C., 9
BRADE, H., 1, 291, 295

CHARON, D., 1, 291
CHIARA, J.-L., 55
CHMIELEWSKI, M., 143
CHOAY, J., 67
CHRISTIAN, R., 39, 295
CHŪJŌ, R., c11
CHURMS, S. C., 239

D'ACCORSO, N. B., 19, 301
DE FINA, G. M., 187
DE LEDERKREMER, R. M., 175, 187
DUCHAUSSOY, P., 67
DUTTON, G. G. S., 279

FERNANDEZ CIRELLI, A., 175
FUJISHIMA, Y., 317
FURUHATA, K., 77

GANEM, B., 305, 312
GASS, J., 39
GRIES, P., 87
GRINDLEY, T. B., 105
GÓMEZ-SÁNCHEZ, A., 55

HASEGAWA, A., 317
HIDALGO, F.-J., 55
HVIDT, T., 123

INOUE, Y., c11
ISHIDA, H., 317
ITO, Y., 197
ITOH, M., 77

JACQUINET, J.-C., 67
JERONCIC, L. O., 175

KAŁUZA, Z., 143
KIGAWA, K., 317
KISO, M., 317
KITAGAWA, M., c11
KIYOHARA, H., 221

KLIMOV, E. M., c8
KOSMA, P., 1, 39
KOCHETKOV, N. K., c8
KOVÁČ, P., 153
KRISTEN, H., 87

LEAL, J. A., 269
LEDERMAN, I., 67
LEEK, D. M., 279
LINDROOS, R., 29

MAKAROVA, Z. G., c8
MALYSHEVA, N. M., c8
MATTA, K. L., 131
MCPHERSON, J. D., 123
MERRIFIELD, E. H., 257
MOLL, H., 291
MONNIER, V. M., 211

NAKAHARA, Y., 197, c1
NILSSON, K. G. I., 95
NJOROGE, F. G., 211
NUKADA, T., 197

OGAWA, T., 197, c1
OGAWA, Y., 317
OGURA, H., 77
OIKARINEN, I., 29
ONDA M., c11
OTSUKA, Y., 221

PAROLIS, H., 279
PETITOU, M., 67
PEZZONE, M. A., 305
PINI, D., 9
PISKORZ, C. F., 131

RAVENSCROFT, N., 257
RUPEREZ, P., 269

SALVADORI, P., 9
SARFATI, S. R., 291
SATO, S., 77, 197
SAYRE, L. M., 211
SCHULZ, G., 39
SHITORI, Y., 77
SINAŶ, P., 67
STEPHEN, A. M., 239, 257
SZAREK, W. A., 123

Tacken, A., 1, 295
Taylor, R. B., 153
Thiel, I. M. E., 19, 301
Torri, G., 67

Unger, F. M., 39

Varela, O., 187
Vaskuri, J., 29
Virtanen, P. O. I., 29
Vogel, C., 87

Walton, D. J., 123
Wickramage, C. 105

Yamada, H., 221
Yamamoto, Y., c11

Zhulin, V. M., c8
Zullino, G., 9

CARBOHYDRATE RESEARCH, VOL. 167 (1987)

SUBJECT INDEX

(3*R*,4*R*,5*S*)-5-Acetamido-3,4-piperidinediol: a selective hexosaminidase inhibitor, 312
Acetyl derivatives of deoxypyranoses, relationship between circular dichroism and structure of, 9
N-Acetyl-2′-*O*-methyllactosamine, synthesis of, 131
N-Acetylneuraminic acid, synthesis of 9-*O*-acyl- and 4-*O*-acetyl-, 77
Acrylamide, poly-, synthesis of copolymers of KDO residues and, 39
Acrylonitrile, 2-cyano-3,3-bis(methylthio)-, reaction with 6-amino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-α-D-galactopyranose with, 87
Alditols, perbenzoylated, ^{13}C-n.m.r. spectra of, 19
(Alditol-1-yl)-4-nitropyrroles, synthesis of (2-nitrovinyl)amino sugars and 2- and 3-, 55
Aldononitriles, conformation of benzoyl derivatives of, 301
Aldononitriles, perbenzoylated, ^{13}C-n.m.r. spectra of, 19
Alternative syntheses and related n.m.r. studies of precursors for internal β-D-galactopyranosyl residues in oligosaccharides, allowing chain extension at O-4, 153
Amino acids, *N*-(1-deoxy-D-fructos-1-yl)-, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
6-Amino-6-deoxy-D-galactose, synthesis of derivatives of, 87
Anti-complementary arabinogalactan from *Angelica acutiloba* Kitagawa, unit structure of the, 221
Antigen of *Klebsiella* K39, capsular, structure, 279
Arabinogalactan from *Angelica acutiloba* Kitagawa, unit structure of the anti-complementary, 221

Bacteriophage-associated lyase activity against *Klebsiella* serotype K64 capsular polysaccharide, 257

Cell walls of *Penicillium erythromellis*, isolation and partial characterisation of mannogluco-galactans from the, 269
Circular dichroism and structure of acetyl derivatives of deoxypyranoses, relationship between, 9
[2 + 2] Cycloaddition of trichloroacetyl isocyanate to glycals, 143
Cyclomaltohexaose inclusion-complexes, determination of the qualitative host–guest geometrical relationships in, on the basis of measurements of intermolecular proton nuclear Overhauser effects, c11

N-(1-Deoxy-D-fructos-1-yl)amino acids, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
3-Deoxy-2-ketoaldonic acid phosphates, g.l.c.–m.s. of methylated derivatives of, 291
3-Deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.–m.s. of partially methylated and acetylated derivatives of, 1
Determination of the qualitative host–guest geometrical relationships in cyclomaltohexaose inclusion-complexes on the basis of measurements of intermolecular proton nuclear Overhauser effects, c11
Diethyl dithioacetals, of aldoses, the rearrangement of mono-*O*-isopropylidene derivatives of, 105
Disaccharides, a simple strategy for changing the regioselectivity of glycosidase-catalysed formation of, 95

Effect of high pressure on glycosylation under Helferich conditions, c8

D-Galactitol, (+)-1,5-dideoxy-1,5-imino-, synthesis of, 305
D-Galactose, 6-amino-6-deoxy-, synthesis of derivatives of, 87
α-D-Galactosidase inhibitor, synthesis of a potent, 305
G.l.c.–m.s. of methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, 291
G.l.c.–m.s. of partially methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, 1
D-Glucose, pyrrole compounds during the Maillard reaction under physiological conditions derived from, 211
Glycals, [2 + 2] cycloaddition of trichloroacetyl isocyanate to, 143
N-Glycoloylneuraminic acid, synthesis of 9-*O*-acyl- and 4-*O*-acetyl-, 77

Glycosidase-catalysed formation of disaccharides, a simple strategy for changing the regioselectivity of, 95
Glycosylation under Helferich conditions, the effect of high pressure on, c8
Grevillea robusta gum, studies of the molecular core of, 239
Gum from *Grevillea robusta*, studies of the molecular core of the, 239

Heparin pentasaccharide fragment, synthesis of the methyl α-glycoside of a, having high affinity for antithrombin III, 67
Heptofuranose, 3-deoxy-D-*gluco*-, synthesis of crystalline derivatives of, 175
Hex-2-enopyranosides, alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
Hex-3-enopyranosid-2-uloses, alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
High pressure, the effect of, on glycosylation under Helferich conditions, c8
2-Hydroxyglycals, the reaction of esters of, with alcohols in the presence of *N*-iodosuccinimide, 187

Immunomodulators, new synthetic, combining a 4-*O*-phosphono-D-glucosamine derivative related to bacterial lipid A with 1-deoxy-*N*-acetylmuramoyl dipeptide analogs, 317
Isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-*manno*-octulosonic acid trisaccharide from the lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), 295

KDO residues, synthesis of copolymers of polyacrylamide and, 39
Kinetics of oxidation of monosaccharides with cerium(IV), 29
Klebsiella serotype K64 capsular polysaccharide, bacteriophage-associated lyase activity against, 257
Klebsiella serotype K39: structure of an unusual capsular antigen deduced by use of a viral endoglucosidase, 279

Lactosamine, *N*-acetyl-2′-*O*-methyl-, synthesis of, 131
Lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-*manno*-octulosonic acid trisaccharide from the, 295
Lyase activity against *Klebsiella* serotype K64 capsular polysaccharide, bacteriophage-associated, 257

Maillard reaction under physiological conditions, pyrrole compounds derived from D-glucose during, 211
Mannoglucogalactans from the cell walls of *penicillium erythromellis*, isolation and partial characterisation of, 269
Methyl α-glycoside of a heparin pentasaccharide fragment having high affinity for antithrombin III, synthesis of the, 67
Methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.–m.s. of partially, 1
Methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, g.l.c.–m.s. of, 291
2′-*O*-Methyllactosamine, *N*-acetyl-, synthesis of, 131
Monosaccharides, kinetics of oxidation of, with cerium(IV), 29

New synthetic immunomodulators combining a 4-*O*-phosphono-D-glucosamine derivative related to bacterial lipid A with 1-deoxy-*N*-acetylmuramoyl dipeptide analogs, 317
Nitriles, aldono-, conformation of benzoyl derivatives of, 301
(2-Nitrovinyl)amino sugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, synthesis of, 55

D-*manno*-2-Octulopyranosylonic acid residues, 3-deoxy-, synthesis of copolymers of polyacrylamide and, 39
Oligogalacturonic acids, phytoalexin elicitor-active, stereocontrolled total synthesis of a synthetic model for, c1
Oligosaccharides, precursors for β-D-galactopyranosyl residues in, alternative syntheses and related n.m.r. studies of, 153

Penicillium erythromellis, isolation and partial characterisation of mannoglucogalactans from the cell walls of, 269
3,4-Piperidinediol, (3*R*,4*R*,5*S*)-5-acetamido-, a selective enzyme inhibitor, 312
Polysaccharide of *Klebsiella* K39, capsular, structure, 279
Pyrrole compounds derived from D-glucose during the Maillaird reaction under physiological conditions, 211

Reaction of 2-hydroxyglycal esters with alcohols in the presence of *N*-iodosuccinimide. Stereoselective synthesis of α anomers of alkyl 3-deoxyhex-2-enopyranosides and 3,4-dideoxyhex-3-enopyranosid-2-uloses, 187
Rearrangement of mono-*O*-isopropylidene derivatives of aldose diethyl dithioacetals, 105

Relationship between circular dichroism and structure of acetyl derivatives of deoxypyranoses, 9
Rhamnosyl-rhamnosyl-3-deoxy-D-*manno*-octulosonic acid trisaccharide from the lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), isolation and identification of a, 295

Sialic acids, synthesis of 9-*O*-acyl- and 4-*O*-acetyl-, 77
Simple strategy for changing the regioselectivity of glycosidase-catalysed formation of disaccharides, 95
Stereocontrolled, total synthesis of α-D-GalA-[(1→4)-α-D-GalA]$_6$-(1→4)-β-D-GalA-1→OPr, a synthetic model for phytoalexin elicitor-active oligogalacturonic acids, c1
Studies of the molecular core of *Grevillea robusta* gum, 239
Syntheses of (2-nitrovinyl)aminosugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, 55
Synthesis of crystalline derivatives of 3-deoxy-D-*gluco*-heptofuranose, 175
Synthesis of (+)-1,5-dideoxy-1,5-imino-D-galactitol, a potent α-D-galactosidase inhibitor, 305
Synthesis of heparin fragments: a methyl α-pentaoside with high affinity for antithrombin III, 67
Synthetic routes to *N*-(1-deoxy-D-fructos-1-yl)amino acids by way of reductive amination of hexos-2-uloses, 123

Tetrazoles, 5-(polybenzoyloxyalkyl)-, conformation of, 301
Tetrazoles, 5-(polybenzoylalkyl)- and 5-(polyhydroxyalkyl)-, ^{13}C-n.m.r. spectra of, 19
Total synthesis of X Hapten, III^3 Fucα-nLc$_4$Cer, 197

Unit structure of the anti-complementary arabinogalactan from *Angelica acutiloba* Kitagawa, 221

X Hapten, total synthesis of, 197